

- [7] M.R. Rajamanickam, A. R. (2012). "Influence of Water Depth on Internal Heat and Mass Transfer in a Double Slope Solar Still." Energy procedia **14**: 1701-1708.
- [8] Naga Sarada Somanchi, S. L. S. S., Thotakura Ashish Kumar, and A. P. Sai Phanindra Dinesh Kakarlamudi (2015). "Modelling and Analysis of Single Slope Solar Still at Different Water Depth." Aquatic Procedia **4**: 1477-1482.
- [9] Rahul Dev, S. A.-w., G.N. Tiwari (2011). "Performance study of the inverted absorber solar still with water depth and total dissolved solid." Applied Energy **88**(1): 252-264.
- [10] Rajesh Trioathi, G. N. T. (2005). "Effect of water depth on internal heat and mass transfer for active solar distillation." Desalination **173**: 187-200.
- [11] S.W. Sharshir, N. Y., Guilong Peng, A.E. Kabeel (2016). "Factors affecting solar stills productivity and improvement techniques: A detailed review." Applied Thermal Engineering **100**: 267-284.
- [12] T. Arunkumar, K. R., D. Dsilva Winfred Rufuss, David Denkenberger, Guo Tingting, and R. V. Li Xuan (2019). "A review of efficient high productivity solar stills." Renewable and Sustainable Energy Reviews **101**: 197-220.
- [13] T.Elango, K. k. M. (2015). "The effect of the water depth on the productivity for single and double basin double slope glass solar stills." Desalination **359**: 82-91.